

# Avery Dennison®

## TrafficJet™ Backup and import Flexi Preferences


Instructional Bulletin : # 9.18  
Revision : # 02  
Last Updated : June 2018

### Introduction

In case of issues, sometimes resetting or re-installing Flexi software is required. As re-configuring the software with all separate queues etc. can be quite time consuming, saving the current state in a Preference File is the solution.


### Install and configure FlexiPRINT and Production Manager

First completely install and configure Flexi software with Color Library, Printer, Presets, Queues, Cutters correct regional Opacities etc. As soon as everything is installed, working and tested, continue with the next step.




### Export Presets

1. Create a folder on the desktop called Avery Dennison / Backup Presets
2. In Production Manager, go to File, Export Preset, Select All, Embed ICC Profile, Export
3. Browse to the Backup Presets folder on the desktop and click Ok
4. Close FlexiPRINT and Production Manager software



### Save Preferences

1. Go to Start, Search and search for Preference Manager (C / Program Files (x86) / SAI / FlexiPRINT v12 / Preference Manager). Please note that this path can be different on your computer.
2. Start Preference Manager
3. Click Save and choose a name for the “snapshot”. Advise is to choose the date of today.
4. Click Ok.
5. Click once on the Preference File you’ve created and click Export.
6. Export to the Avery Dennison / Backup Preferences folder on the desktop.



### Importing Presets after resetting or re-installing Flexi Software

1. As soon as you reset or re-installed Flexi Software, go to Production Manager, File, Import Presets and import the Presets from the Avery Dennison / Backup Presets folder on the desktop.
2. After importing all Presets successfully, close all Flexi Software.
3. Open Preference Manager.
4. Click Import.
5. Browse to Avery Dennison / Backup Presets folder on the desktop.
6. Choose the Preference File with the last date you would like to revert to.
7. Click ok.
8. Open Production Manager and verify if all Queues, settings and regional Opacities have been restored.

The above Avery Dennison literature provides information to the user for proper application, storage and other requirements. Please refer to Product Data Bulletins or your local Avery Dennison Representative for warranty information. Find the latest information on the Avery Dennison website, [www.reflectives.averydennison.com](http://www.reflectives.averydennison.com). We encourage you to check our website periodically for updates.

All statements, technical Information and recommendations about Avery Dennison products are based upon tests and information believed to be reliable, but do not constitute a guarantee or warranty of any kind. All Avery Dennison products are sold with the understanding that Purchaser has independently determined the suitability of such products for its intended and other purposes.

For technical questions, please contact:

North America: [reflective.tech.na@averydennison.com](mailto:reflective.tech.na@averydennison.com)

Europe, Middle East & Africa: [reflective.tech.emea@eu.averydennison.com](mailto:reflective.tech.emea@eu.averydennison.com)

Asia Pacific: [reflective.tech.ap@ap.averydennison.com](mailto:reflective.tech.ap@ap.averydennison.com)

South America: [reflective.tech.sa@averydennison.com](mailto:reflective.tech.sa@averydennison.com)